

Package: mogiw (via r-universe)

June 7, 2026

Type Package

Title The Marshal–Olkin Generalized Inverse Weibull Distribution

Version 0.1.0

Maintainer Atchanut Rattanalertnusorn <atchanut_r@rmutt.ac.th>

Description Density, distribution function, quantile function, and random generation function based on Salem, H. M. (2019)<[doi:10.5539/mas.v13n2p54](https://doi.org/10.5539/mas.v13n2p54)>. In addition, a numerical method for maximum likelihood estimation is provided.

License GPL-3

Language en-US

Encoding UTF-8

RoxygenNote 7.3.2

Imports stats

Suggests testthat (>= 3.0.0)

NeedsCompilation no

Author Atchanut Rattanalertnusorn [aut, cre]

Repository <https://atchanut.r-universe.dev>

Date/Publication 2025-09-09 14:10:07 UTC

RemoteUrl <https://github.com/cran/mogiw>

RemoteRef HEAD

RemoteSha 116a5d9b367ac2680d1e7dc0c356f484f1bc9f17

Contents

mleMOGIW	2
MOGIW	3

Index	5
--------------	----------

`mleMOGIW`*Numerical method for maximum likelihood estimation*

Description

In maximum likelihood estimation, if the Hessian matrix is difficult to obtain, Numerical method (means an iteration optimization method) will be used to obtain the model parameter.

Usage

```
mleMOGIW(x, param, method = "L-BFGS-B")
```

Arguments

<code>x</code>	vector of data.
<code>param</code>	inintial four parameters (alpha, beta, lambda, and beta)
<code>method</code>	a numerical method for maximum likelihood estimation, a default method is "L-BFGS-B", the other specify "BFGS"

Value

outout is a list of variables as follows: `est_param` gives the estimated four parameters, `neg_likelihood` gives the negative-log-likelihood value, `code_convergence` is code of convergence, if 0, convergence, otherwise, divergence. `num_method` is numerical method, a default method is "L-BFGS-B"

References

Zhu, C., Byrd, R. H., Lu, P., & Nocedal, J. (1997). Algorithm 778: L-BFGS-B. *ACM Transactions on Mathematical Software*, 23(4), 550–560. <https://doi.org/10.1145/279232.279236>.

Examples

```
y <- rMOGIW(100,1,3,2,3)
pars <- c(alpha=1, beta=3, lambda=2, theta=3)
mleMOGIW(x=y,param=pars,method = "L-BFGS-B")
```

MOGIW

*Marshall–Olkin Generalized Inverse Weibull Distribution (MOGIW)***Description**

Density, distribution function, quantile function, and random generation function for the MOGIW distribution with four parameters (alpha, beta, lambda, and theta). See details in references (Salem, 2019).

Usage

```
dMOGIW(x, alpha, beta, lambda, theta, log = FALSE)
```

```
pMOGIW(q, alpha, beta, lambda, theta, lower.tail = TRUE, log.p = FALSE)
```

```
qMOGIW(p, alpha, beta, lambda, theta, lower.tail = TRUE, log.q = FALSE)
```

```
rMOGIW(n, alpha, beta, lambda, theta)
```

Arguments

x, q	vector of quantile.
alpha	scale parameter of the Generalized Inverse Weibull Distribution (GIW), where $\alpha > 0$.
beta	shape parameter#1 of the Generalized Inverse Weibull Distribution (GIW), where $\beta > 0$.
lambda	shape parameter#2 of the Generalized Inverse Weibull Distribution (GIW), where $\lambda > 0$.
theta	Marshall–Olkin parameter, where $\theta > 0$.
log, log.p, log.q	logical; (default = FALSE), if TRUE, then probabilities are given as log(p) or log(q).
lower.tail	logical; if TRUE (default), probabilities are $P[X \leq x]$, otherwise, $P[X > x]$.
p	vector of probabilities.
n	number of observations. If $\text{length}(n) > 1$, the length is taken to be the number required.

Value

dMOGIW gives the density, pMOGIW gives the distribution function, qMOGIW gives the quantile function and rMOGIW generates random samples.

References

Salem, H. M. (2019). The Marshall–Olkin Generalized Inverse Weibull Distribution: Properties and Application. *Modern Applied Science*, 13(2), 54. doi:10.5539/mas.v13n2p54

Examples

```
x <- seq(0.5,4,by=0.1)
dMOGIW(x,1,3,2,3)
p<- pMOGIW(q=x,1,3,2,3)
q<- qMOGIW(p,1,3,2,3)
q
rMOGIW(10,1,3,2,3)

x <- seq(0.5,4,by=0.1)
dMOGIW(x,1,3,2,3)          #or dMOGIW(x,alpha=1,beta=3,lambda=2,theta=3)
dMOGIW(x,1,3,2,3,log=TRUE) #or dMOGIW(x,alpha=1,beta=3,lambda=2,theta=3,log=TRUE)

q <- seq(1,4,by=0.1)
pMOGIW(q,1,3,2,3)        #or pMOGIW(q,1,3,2,3,lower.tail = TRUE)
pMOGIW(q,1,3,2,3,lower.tail = FALSE)

q <- seq(0.5,1.5,by=0.01)
p <- pMOGIW(q,1,3,2,3)
x <- qMOGIW(p,1,3,2,3)

x <- rMOGIW(10,1,3,2,3)
x
```

Index

dMOGIW (MOGIW), 3

mleMOGIW, 2
MOGIW, 3

pMOGIW (MOGIW), 3

qMOGIW (MOGIW), 3

rMOGIW (MOGIW), 3